

 **Zéfal**[®]

2016



ENGLISH

ABOUT ZÉFAL



EXPERIENCE

DEDICATED TO RIDERS
SINCE 1880

QUALITY

OUR KEY COMMITMENT IN
OUR PRODUCT PHILOSOPHY

INNOVATION

IMPROVING THE
CONSUMER'S EXPERIENCE



MADE IN FRANCE



Developed and tested by passionate riders, our products are designed and produced largely at our factory in Jargeau, near the city of Orléans.

Zéfal has become a real french cultural and industrial heritage which carry on the same philosophy of excellence for several generations. Thanks to the proximity between the production area and the research department, the design of our products are managed and mastered from start to finish, with attention to detail.

For us, this commitment translates to a guarantee of quality and promise to create accessories of excellence with a responsive customer service.

Zéfal Team





1880

The Poutrait-Morin (Zéfal) company is founded.
Invention of the **Presta valve** (or Sclaverand valve).

1925

Invention of **Christophe toe-clips** in collaboration with the famous french cyclist Eugène Christophe, who became later Director of Zéfal.

1949

Invention of the **Solibloc pump**, the first aluminium bottomless pump.

1972

Invention of the **HPX**, the first high pressure frame fit pump.

1990

Invention of the first mini-pump, the **Mini Double Shot 23**.



2008

Invention of the locking pin for wheels and saddle, the **Lock'N Roll**, Gold Awarded at Eurobike.

**GOLD
AWARD 08**

2015

Launch of the **Z20 Pro bottle** designed with an innovative system of smart cap with quick valve and rotary closure.

To be continued...



« CHOOSING ZÉFAL PRODUCTS COMES WITH THE ASSURANCE THAT THE ACCESSORIES ARE DESIGNED BY PASSIONATE RIDERS AND TESTED THROUGHOUT THE YEAR BY PROFESSIONALS. »





Pro team
MARSEILLE 13
KTM



UNIOR
TOOLS TEAM



POITOU-CHARENTES
FUTUROSCOPE-86
EQUIPE CYCLISTE FÉMININE UCI



ÉQUIPE CYCLISTE
FDJ .fr



P. 8 INFLATION

- P. 9 ROAD MINI-PUMPS
- P. 12 MTB MINI-PUMPS & SHOCK PUMP
- P. 14 UNIVERSAL PUMPS
- P. 15 MINI FLOOR PUMPS
- P. 16 FLOOR PUMPS
- P. 18 TRADITIONAL PUMPS
- P. 19 INFLATION ACCESSORIES & SPARE PARTS
- P. 20 CO2 PUMPS

P. 24 HYDRATION

- P. 25 BOTTLES
- P. 31 CUSTOMISED BOTTLES
- P. 32 BOTTLE CAGES

P. 36 MUDGUARDS & PROTECTION

- P. 38 MTB MUDGUARDS
- P. 41 CITY & LEISURE MUDGUARDS
- P. 43 ROAD MUDGUARDS
- P. 44 PROTECTION

P. 46 BAGS & RACKS

- P. 47 SMARTPHONE HOLDERS
- P. 50 FRONT BAGS
- P. 51 REAR BAGS
- P. 54 ACCESSORIES
- P. 56 RACKS

P. 58 SAFETY

- P. 59 LOCKING PINS
- P. 60 CABLE LOCKS
- P. 62 U-LOCKS
- P. 63 ACCESSORIES
- P. 64 MIRRORS

P. 66 BIKE CARE

- P. 67 MAINTAIN
- P. 70 REPAIR
- P. 72 PREVENT

P. 73 OTHERS**P. 74 MERCHANDISING**



INFLATION

Inflation specialist since 1880, we are continually innovating to offer you more comfort and performance. With high quality standards, our pumps are a combination of useful and innovative technologies. Our R&D teams are focused on a unique goal: giving you the best inflation experience possible.

..... p. 8 to 23

NEW

AIR PROFIL FC03



Z-TURN SYSTEM
Screw-on intuitive connection, compatible with Presta and Schrader valves.



FOR ROAD
Ø 16 mm, to easily reach high pressure.



ALL IN ALUMINIUM
Durability, lightweight and high resistance to corrosion.



MUD PROTECTION
Prevents dirt and stays clean.



CNC MACHINE
High-precision digital manufacturing.



FLEXIBLE CONNECTION
Allows inflation from farther away and prevents damage to the valve stem.

PRESSURE: 9 bar / 130 psi
BARREL: Aluminium
HANDLE: Aluminium
CONNECTION: Z-Turn
WEIGHT: 100 g
LENGTH: 180 mm / 7"
MOUNTING: Mounting clip (ref. 8459)
REFERENCES: Black 8450 / Red 8451



AIR PROFIL FC02



Z-TURN SYSTEM
Screw-on intuitive connection, compatible with Presta and Schrader valves.



FLEXIBLE CONNECTION
Allows inflation from farther away and prevents damage to the valve stem.



ALL IN ALUMINIUM
Durability, lightweight and high resistance to corrosion.



MOUNTING CLIP
Included.



LOCK MAGNET
Magnetic closure, quicker and easier.



MUD PROTECTION
Prevents dirt and stays clean.

PRESSURE: 8 bar / 116 psi
BARREL: Aluminium
HANDLE: Aluminium
CONNECTION: Z-Turn
WEIGHT: 105 g
LENGTH: 180 mm / 7"
MOUNTING: Universal clip (ref. 8443)
REFERENCES: Black 8440 / Red 8441



INFLATION / ROAD MINI-PUMPS



MUD PROTECTION
Prevents dirt and stays clean.




MOUNTING CLIP
Included.

AIR PROFIL MICRO



BEST ON BUDGET
Cycling (2011).



SMALL AND LIGHT
Only 88 g for 165 mm.



BEST ON TEST
Triathlete's World (2011).



GROOVED HANDLE
Improved grip.



ALL IN ALUMINIUM
Durable, lightweight and highly resistant to corrosion.

PRESSURE: 7 bar / 100 psi
BARREL: Aluminium
HANDLE: Aluminium
CONNECTION: Reversible Presta / Schrader
WEIGHT: 88 g
LENGTH: 165 mm / 6.5"
MOUNTING: Clip (ref. 1110B)
REFERENCES: Mat black 8424 / Red 8422 / Yellow 8423 / Silver 8420 / Blue 8421



OFFICIAL SUPPLIER:



ÉQUIPE CYCLISTE



AIR PROFIL XL



TEST WINNER
Tour / Das Rennrad Magazin (2009).



TELESCOPIC BARREL
High volume mini-pump in fewer strokes.

PRESSURE: 9 bar / 130 psi
BARREL: Aluminium
HANDLE: Thermoplastic
CONNECTION: Reversible Presta / Schrader
THUMBLOCK LEVER: Aluminium
WEIGHT: 108 g
LENGTH: 230 mm / 9"
MOUNTING: Clip (ref. 1110B)
REFERENCES: Black & silver 8400 / Mat black 8401





AIR PROFIL LL



ALL IN ALUMINIUM
Durable, lightweight and highly resistant to corrosion.



HIGH VOLUME
Easier inflation in fewer strokes.



GROOVED HANDLE
Better grip.

PRESSURE: 9 bar / 130 psi
BARREL: Aluminium
HANDLE: Aluminium
CONNECTION: Reversible Presta / Schrader
THUMBLOCK LEVER: Aluminium
WEIGHT: 126 g
LENGTH: 320 mm / 12.6"
MOUNTING: Clip (ref. 1110B)
REFERENCE: 8425



AIR PROFIL

PRESSURE: 8 bar / 116 psi
BARREL: Aluminium
HANDLE: Thermoplastique
CONNECTION: Reversible Presta / Schrader
THUMBLOCK LEVER: Aluminium
WEIGHT: 105 g
LENGTH: 230 mm / 9"
MOUNTING: Clip (ref. 1110B)
REFERENCE: 8405



Z CROSS XL



Z-FLIP SYSTEM
Easy and simple switch from Schrader to Presta or Dunlop valve.



MUD PROTECTION
Protects against dirt and stays clean.



Z-LINE SYSTEM
Ensure linear pumping, the high pressure requiring less effort.



SOFT EVA FOAMS
For a better comfort.



TELESCOPIC
High volume mini-pump in fewer strokes.



MOUNTING CLIP
Included.

PRESSURE: 8 bar / 116 psi
BARREL: Soft EVA foams on aluminium
HANDLE: Soft EVA foams on aluminium
CONNECTION: Z-Flip
THUMBLOCK LEVER: Aluminium
WEIGHT: 182 g
LENGTH: 230 mm / 9"
MOUNTING: Universal clip (ref. 1095)
REFERENCE: 8510



Z CROSS AL



Z-FLIP SYSTEM
Easy and simple to switch between Schrader and Presta valve.



GROOVED HANDLE
Better grip.



ALL IN ALUMINIUM
Durable, lightweight and resistant to corrosion.



MOUNTING CLIP
Included.



MUD PROTECTION
Prevents dirt and stays clean.

PRESSURE: 7 bar / 100 psi
BARREL: Aluminium
HANDLE: Aluminium
CONNECTION: Z-Flip
THUMBLOCK LEVER: Aluminium
WEIGHT: 156 g
LENGTH: 230 mm / 9"
MOUNTING: Universal clip (ref. 8443)
REFERENCES: Silver 8515 / Black 8516 / Red 8517 / Mat black 8518



OFFICIAL SUPPLIER:



AIR PROFIL FC01



Z-TURN SYSTEM
Screw-on intuitive connection, compatible with Presta and Schrader valves.



MOUNTING CLIP
Included.



TELESCOPIC
High volume mini-pump in fewer strokes.



FLEXIBLE CONNECTION
Allows inflation from farther away and prevents damage to the valve stem.



MUD PROTECTION
Prevents dirt and stays clean.

PRESSURE: 6 bar / 87 psi
BARREL: Thermoplastic
HANDLE: Chromed thermoplastic
CONNECTION: Z-Turn
WEIGHT: 116 g
LENGTH: 200 mm / 8"
MOUNTING: Clip (ref. 8443)
REFERENCE: 8430



AVAILABLE WITH:
Kit May Day (ref. 8431)
p. 70



Z SHOCK



ALL IN ALUMINIUM
Durability, lightweight and highly resistant to corrosion.



FLEXIBLE CONNECTION
Allows inflation from farther away and prevents damage to the valve stem.



GAUGE
Gauge and connection can rotate over 360 degrees for easier reading and accuracy of inflation.



PRESSURE REGULATOR
Equipped with a pressure regulator system.



GROOVED HANDLE
Improved grip.

PRESSURE: 25 bar / 360 psi
BARREL: Aluminium
HANDLE: Aluminium
GAUGE: Ø 40 mm / 1.6"
WEIGHT: 235 g
LENGTH: 270 mm / 10.6"
REFERENCE: 0660





AIR PROFIL SWITCH NEW



Z-SWITCH SYSTEM
Easy change from Presta to Schrader or Dunlop via a simple switch.



ERGONOMIC HAND GRIP
Better grip.



ALUMINIUM
Durability, lightweight and high resistance to corrosion.



MOUNTING CLIP
Included.

PRESSURE: 7 bar / 100 psi
BARREL: Aluminium
HANDLE: Thermoplastic
CONNECTION: Z-Switch
THUMBLOCK LEVER: Thermoplastic
WEIGHT: 110 g
LENGTH: 200 mm
MOUNTING: Clip (ref. 8459)
REFERENCE: 8460



MAX



SOFT HANDLE
Comfortable with better grip.



FLEXIBLE CONNECTION
Allows inflation from farther away and prevents damage to the valve stem.



ACCESSORIES INCLUDED
In the handle.

PRESSURE: 4 bar / 58 psi
BARREL: Thermoplastic
HANDLE: Thermoplastic
CONNECTION: Flexible Schrader + Presta screw-on adaptor
WEIGHT: 150 g
LENGTH: 290 mm / 11.4"
ACCESSORIES: Ball and bladder heads
REFERENCE: 3180



MINI JET



MOUNTING CLIP
Included.

PRESSURE: 6 bar / 87 psi
BARREL: Thermoplastic
HANDLE: Thermoplastic
CONNECTION: Reversible Presta / Schrader
WEIGHT: 90 g
LENGTH: 230 mm / 9"
MOUNTING: Clip (ref. 1110A)
REFERENCES: Black 8288A / Green 8288B / White 8288C
Yellow 8288D / Orange 8288E / Blue 8288F



These 3 mini floor pumps have the qualities of effective inflation like a floor pump and the compactness of a mini-pump.



EXTRA LONG HOSE
Easier access to tube valve stem.



ERGONOMIC DUAL MATERIAL AND LOCKABLE T-HANDLE
Comfort zone for excellent grip.



FOLDABLE STEEL BASE
Greater stability for a better inflation.

PROFIL MINI MT01



TELESCOPIC
High volume mini-pump in fewer strokes.

PRESSURE: 9 bar / 130 psi
BARREL: Telescopic in aluminium
BASE: Steel
HANDLE: Dual material
THUMBLOCK LEVER: Aluminium
CONNECTION: Reversible Presta / Schrader
HOSE LENGTH: 600 mm / 23.6"
WEIGHT: 300 g
HEIGHT: 345 mm / 14"
REFERENCE: 8705

+ OFFICIAL SUPPLIER:



PROFIL MINI RG01



EDITOR'S CHOICE
Cycling Plus (2013).



IN-LINE GAUGE
Accuracy of inflation.



MOUNTING CLIP
Included.

PRESSURE: 10 bar / 145 psi
BARREL: Aluminium
BASE: Steel
HANDLE: Dual material
TUMBLOCK LEVER: Aluminium
CONNECTION: Reversible Presta / Schrader
HOSE LENGTH: 600 mm / 23.6"
WEIGHT: 215 g
HEIGHT: 345 mm / 13.6"
GAUGE: Inline
MOUNTING: Clip (ref. 1095)
REFERENCE: 8700



PROFIL MINI RG02



MOUNTING CLIP
Included.

PRESSURE: 7 bar / 100 psi
BARREL: Aluminium
BASE: Steel
HANDLE: Dual material
THUMBLOCK LEVER: Aluminium
CONNECTION: Reversible Presta / Schrader
HOSE LENGTH: 380 mm / 15"
WEIGHT: 168 g
HEIGHT: 230 mm / 9"
MOUNTING: Clip (ref. 1095)
REFERENCE: 8702



INFLATION / FLOOR PUMPS



LONG HOSE
Easier access to tube valve stem.



ADDED FEATURES
Ball, bladder heads and Schrader / Presta adaptor.



INTEGRATED LOCKING HOOK
For handle and hose.

PROFIL MAX FP70



Z-FLIP SYSTEM
Easy and simple switch from Schrader to Presta valve.



DUAL MATERIAL HANDLE
Comfort zone for an excellent grip.



EXTRA WIDE GAUGE
Precise inflation via highly visible gauge.



WIDE ALUMINIUM BASE
Exceptional stability.

PRESSURE: 14 bar / 210 psi
BARREL: Aluminium
BASE: Aluminium with sandpaper pads
HANDLE: Dual material
CONNECTION: Z-Flip
HOSE LENGTH: 1225 mm / 48"
WEIGHT: 1.8 kg
HEIGHT: 710 mm / 28"
GAUGE Ø: 100 mm / 4"
ACCESSORIES: Ball, bladder heads and Schrader / Presta adaptor
REFERENCE: 0867



PROFIL MAX FP30

NEW



Z-SWITCH SYSTEM
Easy change from Presta to Schrader or Dunlop via a simple switch.



GAUGE WITH MAGNIFYING LENS
Easier gauge reading.

PRESSURE: 11 bar / 160 psi
BARREL: Steel
BASE: Composite
HANDLE: Technopolymer
CONNECTION: Z-Switch
HOSE LENGTH: 1100 mm / 43"
WEIGHT: 1.3 kg
HEIGHT: 660 mm / 26"
GAUGE Ø: 63 mm / 2.5"
ACCESSORIES: Ball and bladder heads
REFERENCE: 0864



HUSKY



Z-SWITCH SYSTEM
Easy change from Presta to Schrader or Dunlop via a simple switch.



ZÉFAL KNOW-HOW
Experience since 1880.



HIGH PRESSURE
Can reach high pressure in fewer strokes.



FOLDABLE BASE
Easier storage.

PRESSURE: 16 bar / 230 psi
BARREL: Aluminium
BASE: Iron cast
HANDLE: Painted natural wood
CONNECTION: Z-Switch / Z-Twin
HOSE LENGTH: 1100 mm / 43"
WEIGHT: 3.1 kg
HEIGHT: 710 mm / 28"
GAUGE Ø: 50 mm / 2"
REFERENCES: 0955 (Z-Switch) / 0951 (Z-Twin)



OFFICIAL SUPPLIER:



PROFIL TRAVEL




Z-TWIN SYSTEM
Screw-on double head connection: smart and easy touse. Ensures good inflation.



ERGONOMIC DUAL MATERIAL AND LOCKABLE T-HANDLE
Comfort zone for excellent grip.



IN-LINE GAUGE
Accuracy of inflation.



DOUBLE BASE
Better stability during inflation.



CARRYING BAG INCLUDED
Ideal for travel.

PRESSURE: 10 bar / 145 psi
BARREL: Aluminium
BASE: Aluminium
HANDLE: Dual material
CONNECTION: Z-Twin
WEIGHT: 330 g
HEIGHT: 500 mm / 19"
HOSE LENGTH: 610 mm / 20"
CARRYING BAG: Included
REFERENCE: 0890



INFLATION / TRADITIONAL PUMPS

FLEXIBLE CONNECTION:



FLEXIBLE CONNECTION
Allows inflation from farther away and prevents damage to the valve stem.



ATB 310 & 313



MOUNTING
2 mounting clips 105
XL included (reference 1059).

BARREL: PVC
HANDLE: Technopolymer resin
CONNECTION: Flexible Schrader + Presta screw-on adaptor
FIXATION: Mounting clips 105XL (ref. 1059)
LENGTH: 380 mm / 15" // 300 mm / 12"
WEIGHT: 130 g // 110 g
REFERENCES: 3101 // 3131



LAPIZE



ZÉFAL KNOW-HOW
Experience since 1880.

PRESSURE: 8 bar / 116 psi
BARREL: Chromed steel
HANDLE: Aluminium
CONNECTION: Flexible Presta (Schrader adaptor)
MOUNTING: Peg fit
LENGTH: 375 mm / 15"
WEIGHT: 150 g
REFERENCE: 0681



ATB 800

BARREL: Technopolymer resin
HANDLE: Technopolymer resin
CONNECTION: Flexible Schrader or Presta
MOUNTING: Peg fit
LENGTH: 380 mm / 15" // 300 mm / 12" // 250 mm / 10"
WEIGHT: 95 g // 80 g // 72 g
REFERENCES: 8180 // 8150 // 8100



MT 320 & 323



ALL IN ALUMINIUM
Durability, lightweight and high resistance to corrosion.



MOUNTING
2 mounting clips
105 XL included (reference 1059).

BARREL: Aluminium
HANDLE: Aluminium
CONNECTION: Flexible Schrader + Presta screw-on adaptor
MOUNTING: Mounting clips 105XL (ref. 1059)
LENGTH: 380 mm / 15" // 300 mm / 12"
WEIGHT: 145 g // 125 g
REFERENCES: 3200 // 3230

WITH DIRECT CONNECTION:



HPX



BEST ON TEST
Cycling Plus (2012).



ZÉFAL KNOW-HOW
Experience since 1880.



Z-HPX SYSTEM
Spring locking system fits any frame without the need for straps or secondary fixings.



HIGH VOLUME
Easier inflation with fewer strokes.

PRESSURE: 12 bar / 174 psi
BARREL: Aluminium
HANDLE: Aluminium
CONNECTION: Reversible Presta/Schrader
LENGTH: 520-570 mm / 20"-22" // 460-515 mm / 18"-20" // 410-460 mm / 16"-18" // 360-410 mm / 14"-16"
WEIGHT: 255 g // 240 g // 220 g // 210 g
REFERENCES: 7342 // 7332 // 7322 // 7312

REV 88

BARREL: Technopolymer resin
HANDLE: Technopolymer resin
CONNECTION: Reversible Presta / Schrader
MOUNTING: Frame fit
LENGTH: 520-570 mm / 20"-22" // 460-515 mm / 18"-20" // 410-460 mm / 16"-18" // 360-410 mm / 14"-16"
WEIGHT: 135 g // 130 g // 125 g // 120 g
REFERENCES: 8841 // 8831 // 8821 // 8810



Z-HOZE



Z-TURN SYSTEM
Screw-on intuitive connection,
compatible with Presta and Schrader valves.



2 IN 1
Screw-on flexible connection + gauge.



IN-LINE GAUGE
Precise inflation, easy to read.
Rotary psi/bar gauge.




FLEXIBLE CONNECTION
Easier access to the valve.

MATERIAL: Reinforced rubber
CONNECTION: Z-Turn
LENGTH: 300 mm / 12"
WEIGHT: 35 g
REFERENCE: 8708



TWIN GRAPH



COMPACT AND LIGHT
Only 37 g.



UNIVERSAL VALVE
Compatible with Schrader
and Presta valves.

PRESSURE: 11 bar / 160 psi
PRECISION: 0.15 bar / 2 psi
CONNECTION: Presta / Schrader
GRADUATION: Bar or psi / bar
DIMENSIONS: 100 x 45 mm
WEIGHT: 37 g
REFERENCE: 6550



SPARE PARTS

« The Zéfal spare parts service is an additional tool to ensure longevity of our products. Available for sale, you can easily buy all the spare parts on the online-shop from our website. »

MOUNTING CLIPS



CONNECTION




REBUILD KITS



RUBBER WASHER



SPARE PARTS AVAILABLE IN OUR SPARE PARTS BOX (ref. 2999)



2 IN 1
CO2 inflator and mini-pump.
Easy and quick inflation.



PROTECTIVE COATING
Protection against cold made by the
cartridge and for a better comfort.

EZ MAX FC



Z-TURN SYSTEM
Screw-on intuitive
connection,
compatible with Presta
and Schrader valves.



FLEXIBLE CONNECTION
Allows inflation from
farther away and prevents
damage to the valve stem.



LOCK MAGNET
Magnetic closure,
quicker and easier.



MUD PROTECTION
Prevents dirt and stays
clean.



ALL IN ALUMINIUM
Durability, lightweight
and high resistance to
corrosion.

PRESSURE: 8 bar / 116 psi
BARREL: Aluminium
HANDLE: Aluminium
CONNECTION: Z-Turn
LENGTH: 190 mm / 7.5"
WEIGHT: 124 g (without cartridge)
MOUNTING: Clip (ref. 8443)
TYPE OF CARTRIDGES: 12 g, 16 g and 25 g threaded
REFERENCE: 4080



EZ MAX LIGHT



Z-FLOW SYSTEM
Flow-controlled by adjusting
the black piece.

PRESSURE: 7 bar / 100 psi
BARREL: Aluminium
STEM: Aluminium
HANDLE: Thermoplastic
CONNECTION: Reversible Presta / Schrader
LENGTH: 230 mm / 9" (with cartridge)
WEIGHT: 76 g (without cartridge)
MOUNTING: Clip (ref. 8443)
TYPE OF CARTRIDGES: 12 g, 16 g and 25 g threaded
REFERENCE: 4071



EZ PUSH



Z-PUSH SYSTEM

For an accurate and easy flow regulation. The cartridge will be empty only when the pump comes into contact with the valve.



UNIVERSAL VALVE

Compatible with Schrader, Presta and Dunlop valves.



COMPACT AND LIGHT

Only 24 g.



PROTECTIVE COATING

Protection against cold made by the cartridge and for a better comfort.

MATERIAL: Aluminium with thermoplastic cover
 CONNECTION: Z-Push
 LENGTH: 45 mm / 1.8"
 WEIGHT: 24 g (without cartridge)
 TYPE OF CARTRIDGES: 12 g, 16 g and 25 g threaded
 REFERENCE: 4050

 OFFICIAL SUPPLIER:



EZ PLUS



Z-PUSH SYSTEM

For an accurate and easy flow regulation. The cartridge will be empty only when the pump comes into contact with the valve.



UNIVERSAL VALVE

Compatible with Schrader, Presta and Dunlop valves.

MATERIAL: Thermoplastique
 CONNECTION: Z-Push
 LENGTH: 120 mm / 4.8"
 WEIGHT: 70 g (without cartridge)
 TYPE OF CARTRIDGES: 12 g and 16 g unthreaded / 12 g, 16 g and 25 g threaded
 REFERENCE: 4060



EZ CONTROL FC



Z-FLOW SYSTEM
Flow-controlled by adjusting the black piece. Allows a progressive and accurate inflation.



FLEXIBLE CONNECTION
Easier access to the valve.




MATERIAL: Aluminium with reinforced rubber hose
CONNECTION: Presta / Schrader
LENGTH: 120 mm / 4.8"
WEIGHT: 32 g (without cartridge)
TYPE OF CARTRIDGES: 12 g, 16 g and 25 g threaded
REFERENCE: 4040

EZ CONTROL



Z-FLOW SYSTEM
Flow-controlled by adjusting the black piece. Allows a progressive and accurate inflation.




COMPACT AND LIGHT
Only 20 g.

MATERIAL: Aluminium
CONNECTION: Presta / Schrader
LENGTH: 45 mm / 1.8"
WEIGHT: 20 g (without cartridge)
TYPE OF CARTRIDGES: 12 g, 16 g and 25 g threaded
REFERENCE: 4015



AVAILABLE WITH:
CO2 Inflator Kit (ref. 4161)

EZ ADAPTOR



COMPACT AND LIGHT
Only 37 mm and 10 g.



MATERIAL: Aluminium
CONNECTION: Presta / Schrader
LENGTH: 37 mm / 1.5"
WEIGHT: 10 g (without cartridge)
TYPE OF CARTRIDGES: 12 g, 16 g and 25 g threaded
REFERENCE: 4005



CO2 HOLDER

MATERIAL: Rubber
 WEIGHT: 15 g
 MOUNTING: Universal system on seat post or frame
 REFERENCE: 1071

+ AVAILABLE WITH:
 CO2 Inflator Kit (ref. 4161)



CO2

	12 g		16 g		25 g
> TYPE	Threaded	Unthreaded	Threaded	Unthreaded	Threaded
> DISPLAY (QUANTITY)	4120A (x50)	4125A (x50)	4160A (x50)	4165A (x50)	4250A (x20)
> PACKAGING (QUANTITY)	4120B (x3)	4125B (x3)	4160B (x2) 4160D (x6)	4165B (x2)	4250B (x1)
> BULK (QUANTITY)	4120C (x20)	4125C (x20)	4160C (x16)	4165C (x16)	4250C (x30)

WHEEL SIZES

	12 g CO2	16 g CO2	25 g CO2
> ROAD 700 X 23C	5.8 bar / 84 psi	9.3 bar / 135 psi	12.5 bar / 181 psi
> TOURING 700 X 35C	2.3 bar / 33 psi	3.4 bar / 49 psi	5.8 bar / 84 psi
> MTB 26" X 2.0	1.8 bar / 26 psi	2.5 bar / 36 psi	4 bar / 58 psi
> MTB 27.5" X 2.0	-	2.3 bar / 33 psi	3.6 bar / 52 psi
> MTB 29" X 2.0	-	2 bar / 29 psi	3.2 bar / 46 psi
> BMX 20" X 2.0	2.5 bar / 36 psi	3.3 bar / 48 psi	-
> BMX 24" X 2.0	2.1 bar / 30 psi	2.9 bar / 42 psi	-



HYDRATION

As we know that a good hydration is a key concern during any physical effort, Zéfal has developed a new range of bottles and bottle cages. We can also customised your bottles depending your wishes, find more information about our offer p. 31.

..... p. 24 to 35

Z20 PRO 65 & 80

LOCK-CAP



LOCK-CAP SYSTEM
Smart cap with quick valve and rotary closure for a perfect seal during transportation.



SPILL PROOF
The double lock system ensures a 100% waterproof transport.



SOFT VALVE
Soft push for the mouth.



ODOURLESS
Made from polypropylene, without any smell.

	Z20 PRO 65	Z20 PRO 80
MATERIAL	Polypropylene	
CAP	Lock-Cap - Screw-on	
PUSH	Soft touch	
CAPACITY	650 ml / 22 oz	800 ml / 27 oz
HEIGHT	204 mm	240 mm
WEIGHT	92 g	97 g
REFERENCES		
- WHITE	143A	144A
- BLACK	143B	144B
- TRANSLUCENT	143C	144C



OUR BOTTLE'S BENEFITS



100 % RECYCLABLE



BPA FREE



DISHWASHER SAFE



EASY SQUEEZE



FOOD CERTIFICATION



FREEZER FRIENDLY



MADE IN FRANCE



SPILL PROOF

HYDRATION / BOTTLES

The Arctica insulated bottle keeps your drink at an optimum temperature for over 2.5 hours. Its odourless material reduces any changes to the smell or taste of its contents. It is convenient to carry, either on a bike or in a bag. It is made using three layers to maintain the heat or the cold.





MULTI LAYER INSULATED SYSTEM

High performance insulated system maintaining temperatures for over 2.5 hrs.



ODOURLESS

Reduces any changes in smell or taste of its contents.



ARCTICA 75



BEST ON A BUDGET
Cycling (2013).

MATERIAL: Polypropylene
 INNER TANK: Polypropylene
 INSULATED BAG: Outside: metallic PET and polyethylene foam / Inside: white PE
 CAP: Grip-Cap - screw-on
 INSULATION: 2h30
 MAXIMUM TEMPERATURE: 80° / 176°F
 CAPACITY: 750 ml / 25 oz
 HEIGHT: 259 mm
 WEIGHT: 135 g
 REFERENCES: White 165A / Blue 165B / Green 165C / Red 165D / Yellow 165E / Pink 165F




ARCTICA 55

NEW

MATERIAL: Polypropylene
 INNER TANK: Polypropylene
 INSULATED BAG: Outside: metallic PET and polyethylene foam / Inside: white PE
 CAP: Grip-Cap - screw-on
 INSULATION: 2h30
 MAXIMUM TEMPERATURE: 80° / 176°F
 CAPACITY: 550 ml / 18 oz
 HEIGHT: 215 mm
 WEIGHT: 100 g
 REFERENCES: White 1655A / Blue 1655B / Green 1655C / Red 1655D / Yellow 1655E / Pink 1655F





ARCTICA PRO 75 NEW

LOCK-CAP



LOCK-CAP SYSTEM
Smart cap with quick valve and rotary closure for a perfect sealing during transport.



SOFT VALVE
Soft push for the mouth.

MATERIAL: Polypropylene
INNER TANK: Polypropylene
INSULATED BAG: Outside: metallic PET and polyethylene foam / Inside: white PE
CAP: Lock-Cap - screw-on
INSULATION: 2h30
MAXIMUM TEMPERATURE: 80° / 176°F
CAPACITY: 750 ml / 25 oz
HEIGHT: 259 mm
WEIGHT: 165 g
REFERENCES: White 1653A / Blue 1653B / Green 1653C / Red 1653D



ARCTICA PRO 55 NEW

LOCK-CAP



LOCK-CAP SYSTEM
Smart cap with quick valve and rotary closure for a perfect sealing during transport.



SOFT VALVE
Soft push for the mouth.

MATERIAL: Polypropylene
INNER TANK: Polypropylene
INSULATED BAG: Outside: metallic PET and polyethylene foam / Inside: white PE
CAP: Lock-Cap - screw-on
INSULATION: 2h30
MAXIMUM TEMPERATURE: 80° / 176°F
CAPACITY: 550 ml / 18 oz
HEIGHT: 215 mm
WEIGHT: 135 g
REFERENCES: White 1657A / Blue 1657B / Green 1657C / Red 1657D



HYDRATION / BOTTLES

Made of Tritan™ the Trekking 700 has an integrated soft push for a better comfort. 100% without BPA, the Tritan™ material ensures durability and good taste of your drink. It is the ideal hydration product for daily consumption at work, sport or riding a bike. Available in 3 colours.



MADE IN TRITAN™
Odorless, durable and resistant.



BOTTLE CAGE FITTING
Easy grip and transport on bike.



SCALE
To measure your consumption.

TREKKING 700



TRAVEL-CAP SYSTEM
Closure system with handle integrated, ideal for transport. Soft push for better comfort on mouth.



SPILL PROOF
The screw-on cap ensures a 100% waterproof transport.



SOFT VALVE
Soft push for a pleasant mouth feel.

MATERIAL: Tritan™
CAP: Travel-Cap - screw-on
PUSH: Soft touch
STRAW: Polyethylene
DIAMETER: 75 mm
CAPACITY: 700 ml / 24 oz
HEIGHT: 240 mm
WEIGHT: 172 g
REFERENCES: Black 142A / Blue 142B / Red 142C



TREKKING 700 S



SOFT-CAP
Pleasant mouth feel.

MATERIAL: Tritan™
CAP: Soft-Cap - screw-on
PUSH: Soft touch
DIAMETER: 75 mm
CAPACITY: 700 ml / 24 oz
HEIGHT: 215 mm
WEIGHT: 140 g
REFERENCES: Black 1421A / Blue 1421B / Red 1421C





HYDRATION

MAGNUM



HIGH CAPACITY BOTTLE
1 liter.

MATERIAL: Low-density polyethylene
CAP: Grip-Cap - screw-on
CAPACITY: 1L / 33 oz
HEIGHT: 259 mm
WEIGHT: 105 g
REFERENCES: Translucent 164A / Black 164B / White 164C



LITTLE Z

NEW



CLIP INCLUDED
Universal, for all frames
Ø 25 to 45 mm.

MATERIAL: Low-density polyethylene
MOUNTING: Universal - For all frames Ø 25 à 45 mm
CAP: Lite-Cap - screw-on
CAPACITY: 350 ml / 12 oz
HEIGHT: 158 mm
WEIGHT: 51 g
REFERENCES: Z-Boy 162F / Z-Girl 162G / Ninja Boy 162H / Ninja Girl 162I



PREMIER 60 & 75

PREMIER 60 PREMIER 75

MATERIAL	Low-density polyethylene	
CAP	Clip-Cap - clip-on	
CAPACITY	600 ml / 20 oz	750 ml / 25 oz
HEIGHT	199 mm	234 mm
WEIGHT	70 g	85 g
REFERENCES		
- WHITE	161R	160P
- BLACK	161S	160Q
- TRANSLUCENT	161T	160R
- SILVER	161U	160S
- RED	161V	160T
- BLUE	161W	160U
- YELLOW	161X	160V



SENSE M65 & M80



ODORLESS
In polypropylene,
without smell.



SOFT-CAP
Pleasant mouth
feel.

SENSE M65 SENSE M80

MATERIAL	Polypropylene	
CAP	Soft-Cap - screw-on	
CAPACITY	650 ml / 22oz	800 ml / 27 oz
HEIGHT	193 mm	229 mm
WEIGHT	82 g	87 g
REFERENCES		
- WHITE	155A	157A
- BLACK	155B	157B
- TRANSLUCENT	155C	157C



SENSE R60



RING GRIP
Easier grip.

MATERIAL: Low-density polyethylene
CAP: Lite-Cap - screw-on
CAPACITY: 600 ml / 20 oz
HEIGHT: 202 mm
WEIGHT: 80 g
REFERENCES: White 166F / Black 166G / Translucent 166H




AVAILABLE IN:

CLASSIC
(ref. White 166D / Beige 166E)



BOOST YOUR BRANDING WITH OUR CUSTOMISED BOTTLES

1 CHOOSE YOUR BOTTLE



2 DEFINE THE COLOURS OF

- ▶ BOTTLE
- ▶ CAP
- ▶ PUSH

3 ADD

- ▶ YOUR LOGO
- ▶ YOUR TEXT



HYDRATION



A WIDE RANGE OF DESIGNS AND COLOURS

- ▶ Over 2500 possibilities, tailored to your needs.

100% FRENCH KNOW-HOW

- ▶ From conception to production.
- ▶ 25 years of experience.



A RESPONSIVE AND ATTENTIVE SERVICE TEAM

- ▶ Build and visualise your bottle on our online customisation tool: www.zefal.com

PULSE FIBER GLASS



ROBUST AND ELEGANT
Strong tip for a better hold of the bottle.



IN FIBER GLASS
Light, durable and flexible.

MATERIAL: Fiber glass re-enforced polyamide
WEIGHT: 40 g
REFERENCES: Black - silver 1750A / White - black 1750B /
Red - white 1750C / Black - red 1750D / White - red 1750E /
White - blue 1750F / White - green 1750G / White - purple 1750H





PULSE CARBON



IN CARBON

Shiny, resistant and light (only 30 g).

MATERIAL: Carbon
WEIGHT: 30 g
REFERENCE: 1740



OFFICIAL SUPPLIER:



PULSE ALUMINIUM



IN ALUMINIUM AND TECHNOPOLYMER

The right combination between rigidity and flexibility.



0% VIBRATION

Vibration filter to mitigate the shock of rough terrain.

MATERIAL: Aluminium cage and technopolymer fixtures
WEIGHT: 40 g
REFERENCES: Silver 1710A / Black 1710B / White 1710C / Red 1710D



OFFICIAL SUPPLIER:





PULSE FULL ALU



ALL IN ALUMINIUM
Durability, lightweight and high resistance to corrosion.

MATERIAL: Aluminium
ROD Ø: 5 mm
WEIGHT: 40 g
REFERENCES: Silver 1730 / Black 1731 / White 1732



ALU PLAST 124



**IN ALUMINIUM AND
TECHNOPOLYMER**
The right combination between
rigidity and flexibility.

MATERIAL: Technopolymer beam / Aluminium cage (6101 T3)
ROD Ø: 5 mm
WEIGHT: 40 g
REFERENCES: Black 1240A / Red 1240B / Blue 1240C /
Yellow 1240D / Orange 1240E / White 1240F / Silver 1240G



VINTAGE



ZÉFAL KNOW-HOW
Experience since 1880.

MATERIAL: Chromed steel with leather cover
DIAMETER: 4 mm
WEIGHT: 80 g
LEATHER COLOUR: Brown
REFERENCE: 1720



SPRING

MATERIAL: Thermoplastic resin
 WEIGHT: 46 g
 REFERENCES: Black 1215 / White 1215W



WIIZ



REVERSIBILITY
 For right-hander or left-hander.



EASIER ACCESS
 Easy exit of the bottle on the sides,
 even on small frames.

MATERIAL: Thermoplastic resin
 WEIGHT: 65 g
 REFERENCES: Black 1700 / White 1700W



GIZMO UNIVERSAL



UNIVERSAL MOUNTING
 For all diameters from 10 to 60 mm.

MATERIAL: Thermoplastic resin
 DIAMETER: Ø 10 mm to Ø 60 mm
 WEIGHT: 12 g
 REFERENCE: 1081





MUDGUARDS & PROTECTION

To make your travel more pleasant, Zéfal created a complete range of products to protect you and your bike. Split into four categories, these products are made in France and designed for maximum coverage.

..... p. 36 to 45



SHIELD LITE M & XL

NEW



LIGHT AND DISCREET
Lightweight mudguard.
Can be stored under the saddle for maximum discretion.



DOUBLE LOCK
Double lock system under the saddle.



QUICK MOUNTING
Easily and quickly fitted.



UNIVERSAL
Compatible with all saddles with standard rails.

MATERIAL: Polypropylene
MOUNTING: Saddle mount
COLOUR: Black
DIMENSIONS: M - 330 mm x 100 mm x 0.7 mm / XL - 354 mm x 140 mm x 0.7 mm
COMPATIBILITY FOR XL: 26", 27.5", 29", 27.5+, 29+, FAT
WEIGHT: M - 15 g / XL - 24 g
REFERENCES: M - 2560 / XL - 2561




DEFLECTOR LITE M



LIGHT
Light and discreet mudguard.



FRONT AND REAR PROTECTION
Front mudguard that can also be mounted at the rear to protect the shock.



UNIVERSAL
Compatible 26", 27.5" and 29".



MATERIAL: Polypropylene
MOUNTING: 5 Zip-ties
WHEEL Ø: 26", 27.5" & 29"
WEIGHT: 28 g (included attachments)
REFERENCE: 2550



DEFLECTOR LITE XL

NEW



SPECIALLY FOR FAT BIKE
Wide, front mudguard specifically for protection from FAT BIKE wheels.



LIGHT
Provides lightweight, discrete protection.




UNIVERSAL
Compatible with a rigid fork and shock absorber.

MATERIAL: Polypropylene
MOUNTING: 7 Zip-ties with reducing connectors
WHEEL Ø: Specially for Fat Bike - Compatible 26", 27.5", 29", 29+ and 27.5+
DIMENSIONS: 286 x 300 mm
WEIGHT: 48 g (included attachments)
REFERENCE: 2553

DEFLECTOR FM20



LIGHT & DESIGN
Light and discreet mudguard.



UNIVERSAL
Compatible with 26", 27.5" & 29" and most of the forks.



2 MOUNTING SYSTEMS INCLUDED
Snap-On by Velcro® or zip-ties.



CUSTOMIZABLE
3 stickers included.



MATERIAL: Technopolymer resin
MOUNTING: On the front fork - 7 zip-ties or 4 Velcro®
WHEEL Ø: 26", 27.5" & 29"
WEIGHT: 110 g
REFERENCE: 2552



OFFICIAL SUPPLIER:




DEFLECTOR RM29



MD-FIX SYSTEM
Universal mounting system.
Accurate setting with double adjustment.



DUAL MATERIAL SPOILER
Better protection and flexibility.



FULL-SUSPENSION READY
Can be mounted on full suspension MTBs.



ADJUSTABLE
Wide range of adjustment.



MADE FOR LARGE WHEELS
Optimal protection of large wheels 27.5" and 29".



MATERIAL: Technopolymer resin with dual material spoiler
MOUNTING: MD-Fix - On the seat stays - Adjustable from Ø17 to 41 mm
WHEEL Ø: 26", 27.5" & 29"
BLADE WIDTH: 66 mm-72 mm / 2.6"- 2.8"
WEIGHT: 220 g
REFERENCE: 2530

MUDGUARDS & PROTECTION

NO MUD



MD-FIX SYSTEM
Universal mounting system.
Accurate setting with double adjustment.



2 IN 1
Universal front (on the fork) or rear (on the seat stays) mudguard.



FULL-SUSPENSION READY
Can be mounted on full suspension MTBs.



SPOILER
Better protection.



MATERIAL: Technopolymer resin
MOUNTING: MD-Fix - Front on the fork or rear on the seat stays - Adjustable from Ø 17 to 41 mm
WHEEL Ø: 26"
BLADE WIDTH: 65 mm / 2.5"
WEIGHT: 190 g
REFERENCE: 2440



MUDGUARDS & PROTECTION / MTB MUDGUARDS

Our Deflector M60 mudguards ensure great protection even on rough terrain. Specially designed for mountain biking, they are easy to install and fit perfectly on your bike.



DUAL MATERIAL SPOILER
Better protection and brings flexibility to the fender.



DEFLECTOR FM60



UNIVERSAL
Compatible with the majority of forks market.

MATERIAL: Technopolymer resin with dual material spoiler
MOUNTING: On steerer tube
Adjustable from 20 to 33.7 mm
WHEEL Ø: 26", 27.5" & 29"
BLADE WIDTH: 60 mm-73 mm / 2.4" - 2.9"
WEIGHT: 145 g
REFERENCE: 2500



AVAILABLE IN SET:
Deflector RM60 (ref. 2509)



DEFLECTOR RM60



MD-TURN SYSTEM
Quick screw-on mounting system on seat post from Ø 25 to 32 mm.



REFLECTIVE RING
For a better visibility.



ADJUSTABLE
Optimal protection.

MATERIAL: Technopolymer resin with dual material spoiler
MOUNTING: MD-Turn - On seat post
Adjustable for Ø 25 to 32 mm
WHEEL Ø: 26" and 27.5"
BLADE WIDTH: 66 mm-72 mm / 2.6" - 2.8"
WEIGHT: 166 g
REFERENCE: 2505

DEFLECTOR RM60+



MD-TURN SYSTEM
Quick screw-on mounting system on seat post from Ø 25 to 32 mm.



REFLECTIVE RING
For a better visibility.



DOUBLE ORIENTATION
Optimal tire coverage.

MATERIAL: Technopolymer resin with dual material spoiler
MOUNTING: MD-Turn - On seat post - Adjustable for Ø 25 to 32 mm
WHEEL Ø: 26", 27.5" & 29"
BLADE WIDTH: 66 mm-72 mm / 2.6" - 2.8"
WEIGHT: 220 g
REFERENCE: 2507






QUICK MOUNTING
Easy and quick installation.



UNIVERSAL MOUNTING
Compatible with all frames.



TOOLS FREE
No tool required.



DEFLECTOR FC50



MD-QUICK SYSTEM
Universal elastomeric straps.
Easy to mount and remove.

MATERIAL: Polypropylene
MOUNTING: MD-Quick - On fork and stays - Adjustable until Ø 75 mm
WHEEL Ø: 26" & 28"
BLADE WIDTH: 60 mm-80 mm / 2.4"- 3.2"
WEIGHT: 62 g
REFERENCE: 2511

DEFLECTOR RC50



MD-TURN SYSTEM
Quick screw-on mounting system on seat post from Ø 25 to 32 mm.



REFLECTIVE STRIP
For a better visibility by night.

MATERIAL: Polypropylene
MOUNTING: MD-Turn - On seat post - Adjustable for Ø 25 to 32 mm
WHEEL Ø: 26" & 28"
BLADE WIDTH: 47 mm-60 mm / 1.9"- 2.4"
WEIGHT: 125 g
REFERENCE: 2516



AVAILABLE IN SET:
Deflector FC50 + RC50
(ref. 2518)

MUDGUARDS & PROTECTION / CITY & LEISURE MUDGUARDS


PARAGON C40-C50



40 AND 52 MM WIDTHS
For city and leisure bikes.



WHEEL COVER
Better protection of the rider and following companions by covering more than 80% of the wheel.



MADE FOR 26" & 28"
Universal.



BIKE PROTECTION
The mudguard's lower extension protects the front derailleur.



REFLECTIVE PART
Better safety via increased visibility.



U STAYS
Keep the mudguard rigid.



FRONT

REAR



PARAGON C40

PARAGON C50

MATERIAL	Technopolymer resin	
MOUNTING	Fixtures	
WHEEL Ø	26"	28"
BLADE WIDTH	40 mm / 1.6"	52 mm / 2"
WEIGHT	436 g (front + rear)	498 g (front + rear)
REFERENCE	2541	2542

CLASSIC

TRAIL

KID

> DESCRIPTION

Front and rear MTB mudguard. Suitable for rigid MTB.

Front and rear mudguard for Hybrid and City bikes.

Rear and front kid mudguard.

> FRONT



> REAR



> MATERIAL

Technopolymer resin

Technopolymer resin

Technopolymer resin

> MOUNTING

Front: adjustable L shape steel bracket
Rear: adjustable L Shape steel bracket and clip on frame

Front: adjustable L shape steel bracket
Rear: adjustable L Shape steel bracket and clip on frame

Front: T steel plate
Rear: adjustable L shape steel bracket and clip on frame

> WHEEL Ø

24" & 26"

28" / 700c

16" & 20"

> BLADE WIDTH

60 mm / 2.4"

45 mm / 1.8"

55 mm / 2.2"

> WEIGHT

305 g

150 g

165 g

> REFERENCE

2460

2430

2290

SHIELD R30

MD QUICK 032020

MD-QUICK FIXATION

Easy to mount and remove.



U STAYS

Keep the mudguard rigid. No vibrations even on rough terrain.



ROAD BIKES

Made for road bikes with a 30 mm width.



ADJUSTABLE CLIP

Adjustable mounts tube to fit each bike's geometry.




WHEEL COVER

Better protection of the rider and following companions by covering more than 80% of the wheel.



EXTRA-LONG SPOILER

Included for optimal protection.



MATERIAL: Technopolymer resin
MOUNTING: MD-Quick - On fork and stays - Adjustable until Ø 75 mm
WHEEL Ø: 700c / 28"
BLADE WIDTH: 30 mm / 1.18"
WEIGHT: 380 g
REFERENCE: 2540



MUDGUARDS & PROTECTION



CROOZER ROAD

MD QUICK 032020

MD-QUICK SYSTEM

Universal elastomeric straps. Easy to mount and remove.



DUAL MATERIAL SPOILER

Better protection and flexibility.



CONTACT SOFT PIECE

Does not scratch the frame.

MATERIAL: Technopolymer resin with dual material spoiler
MOUNTING: MD-Quick - On fork and stays - Adjustable up to Ø 75 mm
WHEEL Ø: 700c / 28"
BLADE WIDTH: 50 mm-70 mm / 1.9" - 2.7"
WEIGHT: 60 g
REFERENCE: 2375

SWAN ROAD

MD TURN 032020

MD-TURN SYSTEM

Quick screw-on mounting system on seat posts from Ø 25 to 32 mm.



ADJUSTABLE

Ensures an optimal protection.



REFLECTIVE RING

For a better visibility.

MATERIAL: Technopolymer resin
MOUNTING: MD-Turn - On seat post - adjustable for Ø 25 to 32 mm
WHEEL Ø: 700c / 28"
BLADE WIDTH: 45 mm / 1.8"
WEIGHT: 150 g
REFERENCE: 2470



AVAILABLE IN SET:
(ref. 2473)





SKIN ARMOR



HIGH RESISTANCE
No rips, non-crack and secure attachment.



TEMPERATURE FLUCTUATIONS RESIST
From -30°C to +100°C
From -22°F to +212°F.



LONG LIFE
Durable.



WATERPROOF
Excellent water-resistance.



U.V. RESIST





GLUE SHIELD TECHNOLOGY
Easy to install.
High-resistance adhesive.




INVISIBLE
Transparent and adapted to all frames.



SKIN ARMOR M



SKIN ARMOR L



SKIN ARMOR M

SKIN ARMOR L

> MATERIAL	Polyurethane	
> THICKNESS	250 microns	
> NUMBER OF PATCHS	12	14
> COMPOSITION	1 down-tube protection 345 X 58 mm 1 rear base-protection 252 X 25 mm 4 patches 35 X 25 mm 4 patches 50 X 25 mm 2 patches Ø 25 mm	1 top-tube protection 500 X 58 mm 2 rear base-protection 252 X 25 mm 2 crank protection 105 x 25 mm 4 patches 35 X 25 mm 4 patches Ø 25 mm
> REFERENCE	2600	2601

DOWN TUBE ARMOR



IMPACT RESIST
Durability and high resistance.



CONTACT SOFT PIECE
Does not scratch the frame.



TOOLS FREE
Quick and easy to install.



UNIVERSAL MOUNTING
Rubber clamps.



MATERIAL: Technopolymer resin
MOUNTING: MD-Quick - On fork and stays - Adjustable until Ø 75 mm
WIDTH: 50 mm / 1.9"
LENGTH: 325 mm / 12.8"
WEIGHT: 54 g
REFERENCES: Black 2520 / Translucent 2520T



OFFICIAL SUPPLIER:



HANDLE TAPE



EASY MOUNTING
Woven cotton adhesive handlebar tape.



MATERIAL: Woven cotton
LENGTH: 2.75 m
WEIGHT: 2 x 15 g
REFERENCES: White 9221 / Black 9225

CRANK ARMOR



IMPACT RESIST
Durability and high resistance.



QUICK MOUNTING
Easy mounting on the crank.



MATERIAL: Soft thermoplastic
LENGTH: 70 x 40 x 16 / 2.75" x 1.57" x 0.63"
WEIGHT: 20 g
REFERENCES: Black 2610 / Grey 2611 / Red 2612 / Green 2613



BAGS & RACKS

For your convenience, we offers you a range of useful luggages for daily transport or during your exercise. Compatible with all types of bikes, our products can fit to your practice thanks to different fasteners.

..... p. 46 to 57

Z CONSOLE LITE



DOUBLE LOCK SYSTEM
The double-locking system offers a secure hold on rough terrain.



SEALING
Rain-cover included.



2 IN 1
Smartphone case holder.



EASY MOUNTING
Adjustable mounting from Ø 20 to 45 mm.



360° ROTATING SUPPORT
Adjustable angle in landscape or portrait mode.



SMARTPHONE, GPS
GPS, phone, info, stats and, music at your fingertips.



Z CONSOLE LITE (for Apple®)

Z CONSOLE LITE (for Samsung®)

MATERIAL	Case and mounting: thermoplastic / Waterproof cover: soft		
MOUNTING	Adjustable bracket (Ø 20-45 mm)		
ACCESSORIES	Cases, 1 mounting system, 2 waterproof cover, 1 Allen key		
COMPATIBILITY	3 cases: iPhone® 4 & 4S / iPhone® 5 & 5S / iPhone® 5C	2 cases: iPhone® 6 & 6 Plus	2 cases: Samsung® Galaxy S4 / Samsung® Galaxy S5
WEIGHT	70 g	70 g	100 g
REFERENCE	7071	7073	7072

NEW

IPHONE 6 & 6+

IPHONE 4 & 5

SAMSUNG GALAXY S4 & S5



* iPhone® is a trademark of Apple Inc, registered in the U.S and other countries. Samsung® is a trademark of Samsung in the United States or other countries.

BAGS & RACKS / SMARTPHONE HOLDERS

Z UNIVERSAL MOUNT

NEW



LOCK SYSTEM
Easy installation with one click and with one-hand.



RUBBER MOUNTING
Equipped with a rubber base for better grip.



UNIVERSAL MOUNTING
Various applications such as cycling, stroller, shopping cart or treadmill.

MATERIAL: Thermoplastic support / Rubber strap
MOUNTING: Adjustable rubber strap on tube Ø 15-36 mm
COMPATIBILITY: Z Console range (except #7070)
WEIGHT: 24 g
REFERENCE: 7075

Z CAR MOUNT

NEW



LOCK SYSTEM
Easy installation with one click and with one-hand.



DOUBLE MOUNTING
Can be mounted on the windshield or dashboard.




GOOD GRIP
The suction cup ensures an optimum grip.



360° ROTATING SUPPORT
Adjustable angle in landscape or portrait mode. Horizontal and vertical tilt.

MATERIAL: Thermoplastic with PU pad
MOUNTING: Suction cup and twist lock
COMPATIBILITY: Z Console range (except #7070)
SIZE: Extended: 120 x 65 x 80 mm / Folded: 115 x 65 x 27 mm
WEIGHT: 94 g
REFERENCE: 7076



Z ARMBAND

NEW



LOCK SYSTEM
Easy installation with one click and with one-hand.



DOUBLE STRAP
Sold with two straps in order to fit to an arm of 6 to 15 cm diameter.



COMFORTABLE AND VENTILATED
Ventilation holes allowing heat and perspiration to escape during exercise.



REFLECTING PRINT
Better visibility at night.

MATERIAL: Strap: Neoprene / Holder: thermoplastic
STRAP SIZE: 2 sizes:
- 6 to 11 cm diameter (28 cm long)
- 10 to 14 cm diameter (44 cm long)
COMPATIBILITY: Z Console range (except #7070)
WEIGHT: 34 g / 40 g
REFERENCE: 7077

Z BIKE MOUNT

NEW

PATENTED

PATENT
Innovative, patented system.



DOUBLE LOCK SYSTEM
The double-locking system offers a secure hold on rough terrain.

MATERIAL: Thermoplastic
MOUNTING: Adjustable bracket (Ø 20-45 mm)
COMPATIBILITY: Z Console range (except #7070)
WEIGHT: 36 g
REFERENCE: 7078



Z CONSOLE UNIVERSAL M & L NEW



SUITABLE FOR LARGE SMARTPHONES

The mount is suitable for all phones up to a height of 122 to 175mm (inclusive).



360° ROTATING SUPPORT

Adjustable angle in landscape or portrait mode.



DOUBLE LOCK SYSTEM

The double-locking system offers a secure hold on rough terrain.



SEALING

Rain-cover included.

UNIVERSAL M

UNIVERSAL L

MATERIAL
MOUNTING
ACCESSORIES

Case and mounting: thermoplastic / Waterproof cover: soft
Adjustable bracket (Ø 20-45 mm)

1 case, 1 mounting system, 1 waterproof cover, 3 pads, 1 Allen key

SCREEN SIZE
MINIMUM
MAXIMUM
WEIGHT
REFERENCE

74.5*122.6*11.7mm

74.5*156.6*11.7mm

126 g (mount/waterproof cover/pad)
7074A

84.0*135.5*12.5mm

84.0*175.5*12.5mm

156 g (mount/waterproof cover/pad)
7074B



BAGS & RACKS

Z CONSOLE



360° ROTATING SUPPORT

Adjustable angle in landscape or portrait mode.



EASY TO USE

Touch screen.



COMPATIBILITY

With iPhone®
4, 4S, 5, 5C et 5S.



VISIBILITY

Integrated camera window.



SEALING AND PROTECTION

Waterproof case. Strength and greater protection against bumps and shocks.



EASY TO INSTALL

Adjustable mounting bracket for quick installation.



MATERIAL: Thermoplastic
COMPATIBILITY: iPhone® 4, 4S, 5, 5C, 5S
MOUNTING: Adjustable bracket
SIZE: 150 x 84 x 33 mm
MOUNTING SIZE: 120 mm
WEIGHT: 140 g
REFERENCE: 7070

BAGS & RACKS / FRONT BAGS



FOR ALL TYPE OF BIKES
Double Velcro® strap, does not damage or scratch the tube and stem.



VELCRO® STRAPS
Quick mounting.

Z CONSOLE PACK L & M



2 IN 1
Smartphone holder and front bag.



PHONE USE
Ideal compartment for smartphones, touch screen and headphones way.



WATER RESISTANT
Translucent rain-cover with storage pouch.



WIDE OPENING
Better access to the content.

L

M



Z CONSOLE PACK L

Z CONSOLE PACK M

MATERIAL
MOUNTING

420D Rip-stop polyester
Velcro® - On the tube and stem

SIZE
COMPATIBILITY

180 x 95 x 110 mm
Maximum screen size:
130 x 80 mm

160 x 95 x 70 mm
Maximum screen size:
110 x 70 mm

CAPACITY
WEIGHT

1.2 L / 40 oz
150 g

0.75 L / 25 oz
120 g

REFERENCE

7046

7045



Z LIGHT FRONT PACK



ULTRA LIGHT BAG
Ideal for trekking and triathletes.



EASY TO ACCESS
Pratice for nutrition.

MATERIAL: 420 D Ripstop Polyester
SIZE: 140 x 35 x 95 mm
CAPACITY: 0.5 L / 16 oz
WEIGHT: 65 g
REFERENCE: 7041



Z LIGHT PACK L & M



LARGE CAPACITY
Provides enough room for 2 tubes + 1 repair kit + 1 multi tools + 1 CO2 inflator like EZ Push.



REFLECTIVE STRIPES
Better visibility of the bike.



LIGHT MOUNT
Increase the security at night.



WIDE OPENING
Better access to the content.

M



Z LIGHT PACK L

Z LIGHT PACK M

MATERIAL	420D Ripstop polyester / reflective logo	
MOUNTING	Water repellent zip	
SIZE	220 x 95 x 90 mm	180 x 95 x 70 mm
CAPACITY	1.4 L / 46 oz	0.9 L / 30 oz
WEIGHT	105 g	95 g
REFERENCE	7043	7047

Z LIGHT PACK S



BEST KOOP
Cycling.be (2013).



REFLECTIVE STRIPES
Better visibility of the bike.

MATERIAL: 420D Ripstop polyester / reflective logo
ZIP: Water repellent zip
SIZE: S - 140 x 70 x 65 mm
CAPACITY: 0.5 L / 16 oz
WEIGHT: 40 g
REFERENCE: 7040



Z LIGHT PACK XS

MATERIAL: 420D Ripstop polyester / reflective logo
ZIP: Water repellent zip
SIZE: XS - 130 x 60 x 60 mm
CAPACITY: 0.3 L / 10 oz
WEIGHT: 34 g
REFERENCE: 7042



BAGS & RACKS / REAR BAGS

Semi-rigid saddle bag, the Iron Pack is aerodynamics with EVA shells to ensure the protection of your belongings. Its wide opening guarantees an easier access and an elastic band inside maintains the content. Available in 2 mounting system (Velcro® Straps or T-Fix) and 3 sizes.



ULTRA RESISTANT BAG
Water and moisture resistant.



REINFORCEMENT FIXING
Velcro® on the seat post.



WATER REPELLENT ZIP
To protect the content.



WIDE OPENING
Better access to the content.

MATERIAL: Extra tough 840 D 2 EVA hard shells / reflective logo
ZIP: Water-repellent zip
REINFORCEMENT FIXING: Water-repellent zip

IRON PACK M-TF

MOUNTING: TF: T shape fixing with seatpost strap
SIZE: M - 150 x 70 x 70 mm
CAPACITY: 0.6 L / 19 oz
WEIGHT: 145 g
REFERENCE: 7020



IRON PACK L-TF



BIG CAPACITY
0.8 liter.

MOUNTING: TF: T shape fixing with seatpost strap
SIZE: L - 160 x 85 x 90 mm
CAPACITY: 0.8 L / 26 oz
WEIGHT: 160 g
REFERENCE: 7030



IRON PACK M-DS

MOUNTING: DS: double Velcro® straps
SIZE: M - 150 x 70 x 70 mm
CAPACITY: 0.6 L / 19 oz
WEIGHT: 95 g
REFERENCE: 7021



IRON PACK L-DS



BIG CAPACITY
0.8 liter.

MOUNTING: DS: double Velcro® straps
SIZE: L - 160 x 85 x 90 mm
CAPACITY: 0.8 L / 26 oz
WEIGHT: 110 g
REFERENCE: 7031



IRON PACK XL-DS



BIG CAPACITY
2 liters.



SEVERAL STORAGE
Storage pouch with zip.

MOUNTING: DS: double Velcro® straps
SIZE: XL - 190 x 95 x 110 mm
CAPACITY: 2 L / 66 oz
WEIGHT: 172 g
REFERENCE: 7034





Z DRY PACK L



FOR ALL TYPE OF BIKES
Double Velcro® strap fixation, does not damage or scratch the tube and stem.



REFLECTIVE STRIPES
Better visibility of the bike.



WATER-REPELLENT MATERIAL
Welded TPU waterproof material.



LIGHT MOUNT
Increases the security at night.



MATERIAL: Welded TPU material without PVC
MOUNTING: DS: double Velcro® straps
CAPACITY: 1.2 L / 40 oz
SIZE: 175 x 80 x 100 mm
WEIGHT: 114 g
REFERENCE: 7044

NEW

Z DRY PACK S



FOR ALL TYPE OF BIKES
Double Velcro® strap fixation, does not damage or scratch the tube and stem.



REFLECTIVE STRIPES
Better visibility of the bike.



WATER-REPELLENT MATERIAL
Welded TPU waterproof material.



LIGHT MOUNT
Increases the security at night.




MATERIAL: Welded TPU material without PVC
MOUNTING: DS: double Velcro® straps
CAPACITY: 0.6 L / 20 oz
SIZE: 155 x 70 x 70 mm
WEIGHT: 65 g
REFERENCE: 7048

BAGS & RACKS / ACCESSORIES



BPA FREE
Complying with the food standards.



LIGHTWEIGHT, RESISTANT MATERIAL
Created from a highly resistant fabric.




CONVENIENT STORAGE FOR PHONE
Velvet lined inners to protect fragile items.



FUNCTIONAL
Various pockets with a separate pocket for the water bladder. Multi-position straps.



INTELLIGENT VALVE
Automatic opening and closing. Antimicrobial material.



LARGE OPENING
Easy to use and clean.



REFLECTIVE STRIPS
Increased safety at night-time.



Z HYDRO M

NEW

MATERIAL: Nylon / 420D Ripstop polyester
STORAGE: 1 large central pocket for the water pocket, 1 pocket with 2 compartments, 1 pocket for a phone, 1 hook to attach keys
CLOSURE: Zip
CAPACITY: 1 L + (1.5 L Water pocket)
WEIGHT: 315 g
REFERENCE: 7061

WATER BAG:

MATERIAL: PEVA
CAPACITY: 1,5 L
HOSE LENGTH: 1 000 mm
SIZE: 310 x 165 mm
WEIGHT: 140 g

Z HYDRO L

NEW

MATERIAL: Nylon / 840D Ripstop polyester
STORAGE: 1 large central pocket for 2 L water pocket, 1 pocket with compartments, 1 inside mesh pocket, 1 pocket for a phone, 1 hook to attach keys
CLOSURE: Zip
CAPACITY: 3 L + (2 L Water pocket)
WEIGHT: 440 g
REFERENCE: 7062

WATER BAG:

MATERIAL: PEVA
CAPACITY: 2 L
HOSE LENGTH: 1 000 mm
SIZE: 340 x 165 mm
WEIGHT: 150 g
REFERENCE: 7069

Large capacity tool holder, the Z Box responds to your needs. It is waterproof to keep your belongings dry.



WATERPROOF
To protect the content and prevent damage.



CONVENIENT STORAGE
Compact and practical. Suitable place for Air Profil Micro.



BOTTLE CAGE FITTING
Easy grip and transport on bike.

Z BOX M

MATERIAL: Polypropylene
SIZE: M
HEIGHT: 170 mm
CAPACITY: 0.6 L / 20 oz
WEIGHT: 80 g
REFERENCE: 7080



Z BOX L



ADJUSTABLE 2 IN 1
Adjustable compartment. It can be divided into two parts for a better storage.

MATERIAL: Polypropylene
SIZE: L
HEIGHT: 250 mm
CAPACITY: 0.8 L / 26 oz
WEIGHT: 130 g
REFERENCE: 7081



BAGS & RACKS

DOOMAP



TOOLS FREE
No tools required for assembling.



FOLDING MAP
Folding format of the map:
MTB: 245 x 245 mm
Road: 120 x 245 mm.

MATERIAL: Sealed PVC
MOUNTING: 3 Velcro® straps: 1 on stem and 2 on handlebar
WEIGHT: 240 g
REFERENCE: 1151



BAGS & RACKS / RACKS

The Zéfal racks are all made of aluminium and are compatible with all kind of bikes.



ALL IN ALUMINIUM
Durability, lightweight and high resistance to corrosion.



ADJUSTABLE
Can suit different types of bikes.



RAIDER FRONT

MATERIAL: High resistant hollow aluminium 6061 structure
MOUNTING: On fork from Ø 25 to 42 mm
MAXIMUM LOAD: 2 x 9 kg (complying with EN 14872 standard)
SELF SIZE: 300 x 295 mm / 11.8 x 11.6"
WEIGHT: 750 g
REFERENCE: 7510

RAIDER UNIVERSAL



HOOKS
For tensionners.



SAFETY REFLECTOR FIXATION
A safety reflector can be mounted.



SIDE STRUCTURES
Good holding of bags.



SUPPLIED WITH SEVERAL ADAPTABLE BINDINGS
For a bike with conventional or disc brakes

MATERIAL: High resistant hollow aluminium 6061 structure
MOUNTING: Fixtures
MAXIMUM LOAD: 25 kg (complying with EN 14872 standard)
SELF SIZE: 365 x 110 mm / 14.4 x 4.3"
WHEEL Ø: 26", 27.5", 28" and 29"
WEIGHT: 950 g
REFERENCE: 7501





RODEO



TOOLS FREE
No tools required for assembling.



QUICK LOCKING SYSTEM
On the seat post.



ADJUSTABLE TOP PLATE
A mini-pump or a repair kit can fit in the beam.



SAFETY REFLECTOR
Built in at the rear of the top plate, for a better visibility.

MATERIAL: High resistant hollow aluminium 6061 structure
MOUNTING: On the seat post from Ø 25.4 to 31.8 mm
MAXIMUM LOAD: 9 kg (complying with EN 14872 standard)
SELF SIZE: 320 x 135 mm / 12.6 x 5.3"
WEIGHT: 800 g
REFERENCE: 7530



DISCOVERY

MATERIAL: High resistant hollow aluminium 6061 structure
MOUNTING: Fixtures
MAXIMUM LOAD: 25 kg (complying with EN 14872 standard)
SELF SIZE: 370 x 125 mm / 14.5 x 4.9"
WHEEL Ø: 26", 27.5", 28" and 29"
WEIGHT: 900 g
REFERENCE: 7520



SAFETY

Cyclist safety has always been a priority for Zéfal. To give you complete satisfaction, a specific range of mirrors improves your visibility on the road while our locks ensure an efficient attachment to secure your bike. To ensure your peace of movement, keep on riding with Zéfal.

..... p. 58 to 65

LOCK'N ROLL



EUROBIKE GOLD AWARD
2008.

PATENTED

ANTITHEFT
Patented keyless
antitheft system for
wheels and saddle.

Z SAFE LR

Z-SAFE LR
Patented keyless
antitheft system for
wheels and saddle.



HIGH SECURITY



HIGH RESISTANCE
Tensile and torsion
strength. Antitheft.



WEATHER PROTECTION
Durability.



TOOLS FREE
Easy and quick
mounting, no tool
required.



TYPE: Locking pin
MATERIAL: Aluminium
SKEWER DIMENSIONS:
Front wheel: 5 x 128 mm / 0.20" x 5.04"
Rear wheel: 5 x 163 mm / 0.20" x 6.42"
WEIGHT: Complete set: 160 g
Front and rear wheels: 120 g / Seat post: 40 g
SECURITY LEVEL: 3.5
REFERENCES: Complete set 4970 / Wheels 4950 / Seat post 4960

SAFETY



The K-TRAZ locks range has several systems ensuring an optimal safety and a tensile and torsion strength: Z-Safe, Z-Safe + and Z-Safe Ball.



Powerful double locking system. High resistance against impacts and twists.



Adjustable code locking system. High protection against robbery.



Highly powerful quadruple locking system. Delivers a very high degree of protection in risky places.

K-TRAZ C12 STD



TYPE: Coil cable lock
MATERIAL: Flexible twisted steel wire with a tough vinyl cable cover
MOUNTING: Adjustable on down tube - Ø from 18 to 36 mm
WEIGHT: 570 g
CABLE LENGTH: 1850 mm
CABLE Ø: 12 mm
SECURITY LEVEL: 2.5
REFERENCE: 4910



K-TRAZ C12



TYPE: Coil cable lock
MATERIAL: Flexible twisted steel wire with a tough vinyl cable cover
MOUNTING: Adjustable on down tube - Ø from 18 to 36 mm
WEIGHT: 610 g
CABLE LENGTH: 1850 mm
CABLE Ø: 12 mm
SECURITY LEVEL: 2.5
REFERENCE: 4911



K-TRAZ C12 CODE



4 DIGITS COMBINATION SYSTEM
10 000 possible combinations.

TYPE: Coil cable lock
MATERIAL: Flexible twisted steel wire with a tough vinyl cable cover
MOUNTING: Adjustable on down tube - Ø from 18 to 36 mm
WEIGHT: 620 g
CABLE LENGTH: 1850 mm
CABLE Ø: 12 mm
SECURITY LEVEL: 2.5
REFERENCE: 4912





LOSS OF KEY SERVICE
Duplication of keys in case of loss. Unique serial number.



PROTECTIVE COATING
Covering of the locking mechanism.



3 KEYS INCLUDED
In case of loss.



QUICK MOUNTING
Mounting clip.

K-TRAZ A20

Z SAFE 8
HIGH PROTECTION



TYPE: Armored lock
MATERIAL: Twisted cable protected by hardened steel links with a tough vinyl cable cover
MOUNTING: Adjustable on down tube - Ø from 18 to 36 mm
WEIGHT: 1.1 kg
CABLE LENGTH: 1000 mm
CABLE Ø: 20 mm
SECURITY LEVEL: 3
REFERENCE: 4920



K-TRAZ A25

Z SAFE 8
HIGH PROTECTION



TYPE: Armored lock
MATERIAL: Twisted cable protected by hardened steel links with a tough vinyl cable cover
MOUNTING: Adjustable on down tube - Ø from 18 to 36 mm
WEIGHT: 1.8 kg
CABLE LENGTH: 1200 mm
CABLE Ø: 25 mm
SECURITY LEVEL: 4
REFERENCE: 4921



SAFETY





K-TRAZ U13 CABLE

Z SAFE
HIGH PROTECTION



TYPE: U-lock + Armored lock
 MATERIAL: Hardened steel - Double protective coating
 MOUNTING: Adjustable on down tube - Ø from 18 to 36 mm
 WEIGHT: 1.6 kg
 DIMENSIONS: 115 x 230 mm
 U Ø: 13 mm
 CABLE LENGTH: 1200 mm
 CABLE Ø: 10 mm
 SECURITY LEVEL: 3.5
 REFERENCE: 4941



K-TRAZ U13

Z SAFE
HIGH PROTECTION



TYPE: U-lock
 MATERIAL: Hardened steel - Double protective coating
 MOUNTING: Adjustable on down tube - Ø from 18 to 36 mm
 WEIGHT: 1.3 kg
 DIMENSIONS: 115 x 230 mm
 U Ø: 13 mm
 SECURITY LEVEL: 3.5
 REFERENCE: 4940



K-TRAZ U13 MINI

Z SAFE
HIGH PROTECTION



MICRO
Compact and light.



EASY TO CARRY
Can fit in a pocket.

TYPE: U-lock
 MATERIAL: Hardened steel - Double protective coating
 MOUNTING: Adjustable on down tube - Ø from 18 to 36 mm
 WEIGHT: 840 g
 DIMENSIONS: 90 x 140 mm
 U Ø: 13 mm
 SECURITY LEVEL: 3.5
 REFERENCE: 4943





K-TRAZ U14

Z SAFE 6
HIGH PROTECTION



LONG HANDLE
Easy to attach.



LOCK PROTECTED
Protection against dust and corrosion.

TYPE: U-lock
MATERIAL: Hardened steel - Double protective coating
MOUNTING: Adjustable on down tube - Ø from 18 to 36 mm
WEIGHT: 1.6 kg
DIMENSIONS: 115 x 292 mm
U Ø: 14 mm
SECURITY LEVEL: 4.5
REFERENCE: 4942

DOOWAH



QUICK MOUNTING
Easy and quick installation.



RESISTANT MATERIAL
Optimum security.



2 IN 1
Pant-tie and reflective strip.

MATERIAL: Nylon
MOUNTING: To roll with a Velcro®
LENGTH: 380 mm
WEIGHT: 12 g the pair
REFERENCES: Black 1021 / Neon Yellow 1022



PIING







QUICK MOUNTING
Easy and quick installation.

MATERIAL: Aluminium cap - Technopolymer fixation
MOUNTING: Clip on handlebar from Ø 19 to 26.4 mm
WEIGHT: 21 g
REFERENCES: Black 1060A / Silver 1060B



SAFETY / MIRRORS

	ROAD	MTB	CITY	LEISURE	TOURING	FIXATION	SIZE	
CYCLOP			X	X	X	Bar end fitting	 	REVERSIBLE Can be attached to either side of the handlebar (except for Dooback).
DOOBACK		X	X	X	Bar end fitting			
ESPION			X	X	Bar end fitting			
SPIN	X				X	Bar end fitting	 	SOLID MIRROR The mirrors are made of unbreakable ABS chrome and therefore are not dangerous in the event of a fall.
SPY	X	X			X	Universal		
Z EYE			X	X	X	Helmet		

ESPION



LARGE MIRROR
Great visibility.



DOUBLE ADJUSTMENT AT 360°
Orientation tailored to your position.



MATERIAL: Unbreakable chrome plated plastic
 MOUNTING: Universal bar end fitting (left and right)
 MIRROR: Convex
 SIZE OF THE MIRROR: 46 cm²
 ORIENTATION: Adjustable
 HANDLEBAR Ø: 16 mm - 22 mm / 0.6" - 0.9"
 WEIGHT: 80 g
 REFERENCE: 4750

CYCLOP



TRIPLE ADJUSTMENT
Orientation tailored to your position.



FOLDING UNDER THE HANDLEBAR
Storage and protection of the mirror.



MATERIAL: Unbreakable chrome plated plastic
 MOUNTING: Universal bar end fitting (left and right)
 MIRROR: Convex
 SIZE OF THE MIRROR: 46 cm²
 ORIENTATION: Adjustable
 HANDLEBAR Ø: 16 mm - 22 mm / 0.6" - 0.9"
 WEIGHT: 60 g
 REFERENCE: 4710

DOOBACK



LARGE MIRROR
Great visibility.



DOUBLE ADJUSTMENT AT 360°
Orientation tailored to your position.



MATERIAL: Unbreakable chrome plated plastic
 MOUNTING: Universal bar end fitting (left or right version)
 MIRROR: Convex
 SIZE OF THE MIRROR: 40 cm²
 ORIENTATION: Adjustable
 HANDLEBAR Ø: 16 mm - 22 mm / 0.6" - 0.9"
 WEIGHT: 70 g
 REFERENCES: Left 4700 / Right 4701



SPY



CAN BE MOUNTED IN SEVERAL LOCATIONS

Fits your position on the bike.



UNIVERSAL FIXATION

Universal clip-on mirror.



DOUBLE ADJUSTMENT AT 360°

Orientation tailored to your position.



TOOLS FREE

Quick mounting.

MATERIAL: Unbreakable chrome plated plastic
 MOUNTING: Snap-on mounting with rubber strap
 MIRROR: Convex
 SIZE OF THE MIRROR: 15 cm²
 HANDLEBAR Ø: 22 mm - 60 mm / 0.9" - 2.4"
 WEIGHT: 25 g
 REFERENCE: 4720



Z EYE



UNIVERSAL MOUNTING

Compatible with all helmets.



QUICK MOUNTING

Easy and quick installation.



DOUBLE ADJUSTMENT AT 360°

Orientation tailored to your position.

MATERIAL: Unbreakable chrome plated plastic
 MOUNTING: Universal with Velcro® straps
 MIRROR: Convex
 SIZE OF THE MIRROR: 10 cm²
 ORIENTATION: Multiple rotating and longitudinal adjustments
 WEIGHT: 20 g
 REFERENCE: 4730



SPIN



TRIPLE ADJUSTMENT

Orientation tailored to your position.



FOLDING UNDER THE HANDLEBAR

Storage and protection of the mirror.

MATERIAL: Unbreakable chrome plated plastic
 MOUNTING: Universal bar end fitting (left and right)
 MIRROR: Convex
 SIZE OF THE MIRROR: 15 cm²
 ORIENTATION: Adjustable
 HANDLEBAR Ø: 16 mm - 22 mm / 0.6" - 0.9"
 WEIGHT: 45 g
 REFERENCE: 4740





BIKE CARE


To protect your bike in all circumstances, we have developed a full range of maintenance, repair and preventive products. We offer you several solutions tailored to your practice and efficient according to your environment.

..... p. 66 to 72

BIKE ALL-IN-1



4 IN 1 SOLUTION
Complete bike care.



PROTECTIVE FILM
Leaves a clean, oil-free film to prevent corrosion.



100% BIODEGRADABLE
Safe for the environment with its vegetable base.



ROD FOR ACCURACY
Quick and accurate application.

SPRAY: 150 ml
REFERENCE: 9750



BIKE CLEANER



FOR DISC BRAKES
Recommended for use on disc brakes.



QUICK CLEANING
Removes stains quickly and effectively.



ROD FOR ACCURACY
Quick and accurate application.

SPRAY: 300 ml
REFERENCE: 9985



BIG CAPACITY
1 Litre capacity giving greater number of uses.



QUICK CLEANING
Removes stains quickly and effectively.



SPRAY
Allows quick and accurate spraying of the parts to be cleaned.

BIKE BIO DEGREASER

NEW



DOUBLE ACTION
Detergent and degreasing action.



BIODEGRADABLE
Safe for the environment.

SPRAY: 1 L
REFERENCE: 9982



BIKE WASH

NEW



NONIONIC SURFACTANTS
Quickly takes off dirt with a solution that eliminates it while rinsing.



GLOSSY FINISH
Dries without leaving a trace.

SPRAY: 1 L
REFERENCE: 9973





PROTECTIVE FILM
Leaves a clean, oil-free film to prevent corrosion.



AVAILABLE IN DISPLAY:
(ref. 9650)



PRO LUBE



IDEAL IN ALL CONDITIONS
Suitable in all weather conditions.



LONGER PROTECTION
Fewer applications for the same results.



BIODEGRADABLE
High biodegradability.

OIL CAN: 125 ml
REFERENCE: 9603

WET LUBE



IDEAL IN WET WEATHER



BIODEGRADABLE
High biodegradability.

OIL CAN: 125 ml
REFERENCE: 9602

DRY LUBE



IDEAL IN DRY WEATHER



ROD FOR ACCURACY
Quick and accurate application.

OIL CAN: 125 ml
SPRAY: 300 ml
REFERENCES: Oil can: 9601 / Spray: 9604

PRO II GREASE



ANTI RUST AND CORROSION
High protection.



WATERPROOF
Excellent resistance to water, mud, weathering.



STRONG ADHERENCE
Strong adhesion power for fewer uses.

TUBE: 150 ml
POT: 1 kg
REFERENCE: Tube: 9605 / Pot: 9606



AVAILABLE IN 1 KG POT:
(ref. 9606)





ZB CLEAN



LARGE BRUSH
Ideal for cleaning the chain and freewheel.



SCRAPER
Scraper for an accurate cleaning of the free-wheel (compatible 8-9-10-11 gears).



SMALL BRUSH
Perfect for derailleur and bearing.



DUAL MATERIAL HANDLE
Ergonomic and non-slippery.

MATERIAL: Handle: polypropylene with soft overmold
Brush: nylon
LENGTH: 210 mm / 8.3"
WEIGHT: 90 g
REFERENCE: 1193



ZB DOUBLE



DUAL MATERIAL HANDLE
Ergonomic and non-slippery.



ADJUSTABLE DOUBLE HEAD
Suitable positions for cleaning.

MATERIAL: Handle: polypropylene with soft overmold
Brush: Nylon
TOTAL LENGTH: 250 mm / 9.8" with 80 mm / 3.1" brushes
WEIGHT: 90 g
REFERENCE: 1192



ZB WASH



DUAL MATERIAL HANDLE
Ergonomic and non-slippery.



SOFT PARTS
Do not scratch the frame.

MATERIAL: Handle: polypropylene with soft overmold
Brush: Nylon
TOTAL LENGTH: 280 mm / 11"
WORK SURFACE: 150 mm x 100 mm / 5.9 x 3.9"
WEIGHT: 218 g
REFERENCE: 1191

+ AVAILABLE IN SET:
ZB Clean + ZB Wash + ZB Double
(ref.1198)






KIT MAY DAY

Composed of 3 products, the Kit May Day is the perfect pack for your ride. With its telescopic barrel and the flexible, screw-on Z-Turn connection, the Air Profil FC01 is the essential tool you need to have while riding your MTB. Our repair kits will help you to repair your bike easily and safely. Highly resistant and unbreakable, the Z Levers shape provides an easy passage between the rim and tire, without damaging them.

REFERENCE: 8431



REPAIR KITS



COMPACT BOXES
Can fit easily everywhere.



STAINLESS STEEL GRATER
Efficient on all surfaces.



PRODUCT	CONTENT	REFERENCE
UNIVERSAL	7 patches (3 x Ø 15 mm, 2 x Ø 25 mm, 1 x 24*35 mm, 1 x 30*50 mm) 1 rubber cement 5 g 1 stainless steel grater	1132A
UNIVERSAL +	8 patches (6 x Ø 25 mm, 1 x 24*35 mm, 1 x 30*50 mm) 1 rubber cement 5 g 1 stainless steel grater 2 tire levers	1122
ROAD	6 patches (Ø 15 mm) 1 rubber cement 5 g 1 stainless steel grater	1132B
TUBELESS	6 patches (4 x Ø 33 mm, 2 x 30*50 mm) 1 rubber cement 5 g 1 stainless steel grater	1125



AVAILABLE WITH:
Kit May Day (ref. 8431)
Only for Universal



REPAIR SPRAY



COMPATIBLE WITH ALL TYPES OF BIKES
For both tires with tubes or tubeless tires.



REPAIRS AND RE-INFLATES INSTANTANEOUSLY
Re-inflate at an approximate pressure of 2 bar / 30 psi, without removing the wheel.

CAPACITY: 75 ml / 100 ml
REFERENCES: 1127 / 1126



AVAILABLE WITH:
Doodad+ (ref. 1128)
Only for 100 ml



DP20



SHOCKS RESIST
Highly resistant.

MATERIAL: Technopolymer resin
REFERENCES: Black 2001A / Blue, White and Red 2001B



Z LEVERS



SHOCKS RESIST
Highly resistant.

MATERIAL: Technopolymer Resin high performance
LENGTH: 100 mm
WEIGHT: 11 g
REFERENCES: 3 pieces packaging 1990A / 100 pieces jar 1990B
25 pieces bag 1990C



AVAILABLE WITH:
Kit May Day (ref. 8431)



EMERGENCY KIT



QUICK MOUNTING
Easy and quick installation.

MATERIAL: Synthetic rubber
Ø PATCHES: 25 mm
REFERENCES: 25 kits jar 1135A / Box 1135C



Z SEALANT



CONTAINS LESS THAN 1% AMONIA
Won't damage your tires.



EASY TO USE
Injected into the valve stem or directly into a tubeless tire.

CAPACITY: 125 ml / 1L
REFERENCES: 9801 / 9821



PASTALI



LONG LIFE
High-strength over time.

TUBE: 27 g
REFERENCE: 9302



SEVERAL SIZES AVAILABLE



ANTI-PUNCTURE
For all situations and practices.

Z LINER



IN POLYURETHANE
High puncture resistance.

USE	COLOUR	WIDTH	WEIGHT	REFERENCE
CITY/LEISURE 700c & 28"	Orange	27 mm	2 x 60 g	9721
ROAD 700c & 28"	Grey	19 mm	2 x 35 g	9722
MTB 26", 24"	Green	34 mm	2 x 75 g	9720
MTB 29", 27.5", 650b	Blue	34 mm	2 x 90 g	9738

COTTON TAPES

	PACKAGING * 2	DISPLAY * 10	BULK	100 m ROLL
10 mm	9134	9137	-	9135
13 mm	9145	9142	9144	9143
17 mm	9153	9151	9150	9154
22 mm	9104	9102	9105	9103



PVC TAPES

NEW

USE	COLOUR	WIDTH	REFERENCES	
			2 PIECES PACKAGING	50 PIECES PACKAGING
CITY/LEISURE 700c	Grey	16 mm	9350	9351
ROAD 28"	Grey	18 mm	9352	9353
MTB 26"	Red	18 mm	9354	9355
MTB 26"	Red	22 mm	9356	9357
27.5"	Green	20 mm	9358	9359
29"	Blue	20 mm	9360	9361



OTHERS

Our Toe-Clips and Toe-Straps give you more power while riding, and in safety.

TOE CLIPS



SEVERAL SIZES AVAILABLE
A suitable product according to your shoe size.

	40	43	45
USE	Road	MTB	City / Trekking
PRONGED TOE-CLIP	One	Two	No strap
MATERIAL	Technopolymer		
SIZE	S/M < Eur-42, US-9 & L/XL > Eur-42, US-9		
WEIGHT	S/M 62 g L/XL 68 g	S/M 104 g L/XL 112 g	S/M 128 g L/XL 142 g
REFERENCES			
- S/M	0400	0430	0451
- L/XL	0401	0431	0450



CHRISTOPHE STEEL TOE-CLIPS



ZÉFAL KNOW-HOW
Experience since 1880.



MADE OF CHROMED STEEL
Guarantee of quality and durability. High resistance to corrosion.

MATERIAL: Chromed steel
PRONGED TOE-CLIP: Simple
WEIGHT: S/M 110 g // L/XL 120 g
REFERENCES: S/M 0506 // L/XL 0507



CHRISTOPHE LEATHER TOE-STRAPS



ZÉFAL KNOW-HOW
Experience since 1880.



LEATHER
Quality and durability.
Fits perfectly to your foot.

MATERIAL: High quality leather
LENGTH: 370 mm
WEIGHT: 68 g
REFERENCES: Black 5161A / White 5161B / Brown 5161F
Blue 5161D / Red 5161E



NEW

CHRISTOPHE
TOE-STRAPS 515XL

MATERIAL: Technopolymer resin
LENGTH: 440 mm
REFERENCE: 5151



AVAILABLE IN SET:
Toe-Clips 43 + Christophe Toe-Straps 515XL
(ref. S/M: 4355 // L/XL: 4356)



Zéfal[®].MERCHANDISING

IS THE IDEAL SOLUTION FOR YOUR SHOP!

- ▶ DEVELOP your point of sale by offering a clear and attractive area.
- ▶ INCREASE your sales with a fast return on investment.
- ▶ IMPROVE the customer experience and enhance their loyalty.

DISPLAY STAND / 1



ALL IN 1
Stand + hooks
+ shelves
+ storage + flyers dispenser.



QUALITY
High quality material.
Long life.



INGENIOUS
Flexible storage offer with hook and shelves.



WITHOUT ASSEMBLY
Easy and quick installation.

	SIZE	WEIGHT	REFERENCE
> PACK 1	Width: 1000 mm	50 kg	9010A
	Depth: 390 mm		
	Height: 1950 mm		
> ADDITIONNAL HOOKS (X5)	250 mm	-	9010H

STAND



CUSTOM PACK 2 / 3

THE PACKS

	COMPOSITIONS	REFERENCE
> PACK 2	Topper 1 + 2 shelves + 28 hooks	901092
> PACK 3	Topper 2 + 2 shelves + 14 hooks	901093

PER UNIT

	SIZE	REFERENCE
> TOPPER PACK 2 (X3)	900 x 300 mm	9010B
> TOPPER PACK 3 (X2)	545 x 155 mm	9010C
> SHELVES (X4)	250 x 400 mm	9010D
> HOOKS (X28)	250 mm	9010E

TOPPER 1



SHELVES



TOPPER 2




HOOKS



BOTTLE DISPLAY

- ▶ **EASY TO INSTALL:** Only 10 seconds to assembly.
- ▶ **INCREASE VISIBILITY:** Attractive design in store.
- ▶ **LARGE CAPACITY:** Up to 66 bottles.

	PACKAGING	REF.
> BOTTLE DISPLAY	1	162J



KEEP ON RIDING.





zefal.com

ZI Les Cailloux - 45150 Jargeau - France

Tel.: +33(0)2 38 59 70 45 - Fax: +33(0)2 38 59 99 14

zefal@zefal.com

 [/zefalbikeaccessories](https://www.facebook.com/zefalbikeaccessories)  [@ZefalBike](https://twitter.com/ZefalBike)

ZEFAL SA with a registered capital of 1 137 774 € - Trade Registry No. 572 029 106 RCS ORLEANS
TVA/VAT: FR 93 572 029 106 - July 2015 - France - Product specifications in this catalog are indicative and
are subject to change without any notice. Pictures are not contractual.

Credits: © Vincent Curutchet - © Dave Trumppore - © Fabien Thouvenin

Leitmotiv 08/2015 - www.agence-leitmotiv.fr

